



DEVELOPED
& DESIGNED



IN ITALY

NEW 5826

FRESE TORICHE
CORNER RADIUS END MILLS

WWW.TTETEC.EU




2018.5

5826

FRESA TORICA 6T - MINI BOOSTER / 6 FLUTES CORNER RADIUS END MILL - MINI BOOSTER

MISURE DISPONIBILI / AVAILABLE SIZES D 1 - 12



Cod.	ØD	CrCam	l	l1	Ød1	Bta	L	Ød	Z
5826-010-03	1	0,088	1	3	0,9	16°	51	6	4
5826-020-06	2	0,176	2	6	1,8	16°	51	6	4
5826-030-09	3	0,264	3	9	2,8	16°	58	6	4
5826-040-12	4	0,352	4	12	3,8	16°	58	6	6
5826-050-15	5	0,44	5	15	4,7	16°	58	6	6
5826-060-18	6	0,528	6	18	5,7	-	58	6	6
5826-080-24	8	0,704	8	24	7,6	-	80	8	6
5826-100-30	10	0,88	10	30	9,5	-	80	10	6
5826-120-36	12	1,056	12	36	11,5	-	100	12	6



MODELLI 2D 2D MODELS

SCARICA I DISEGNI TECNICI
DOWNLOAD THE TECHNICAL DRAWINGS



Diam. Ø	H							
	Hrc 52 - 55				Hrc 56 - 59			
	Ap	Ae	S	F	Ap	Ae	S	F
0,5	0,019	0,35	25478	1037	0,015	0,30	22293	702
0,8	0,030	0,56	17914	2333	0,024	0,48	15924	1605
1	0,037	0,70	15924	2592	0,030	0,60	14331	1806
2	0,074	1,40	12739	4148	0,060	1,20	11943	3010
3	0,11	2,10	10616	5185	0,09	1,80	9554	3611
4	0,15	2,80	8360	8166	0,12	2,40	7564	5718
5	0,19	3,50	6688	8166	0,15	3,00	6051	5718
6	0,22	4,20	5839	8555	0,18	3,60	5308	6019
8	0,30	5,60	4777	9332	0,24	4,80	3981	6019
10	0,37	7,00	3822	9332	0,30	6,00	3185	6019
12	0,44	8,40	3185	9332	0,36	7,20	2654	6019

Diam. Ø	H							
	Hrc 60 - 62				Hrc 63 - 66			
	Ap	Ae	S	F	Ap	Ae	S	F
0,5	0,011	0,28	19108	433	0,010	0,28	15924	330
0,8	0,018	0,44	13933	1010	0,016	0,44	11943	791
1	0,022	0,55	12102	1097	0,021	0,55	11146	923
2	0,044	1,10	6369	1155	0,041	1,10	6051	1002
3	0,07	1,65	4777	1299	0,06	1,65	4246	1055
4	0,09	2,20	3981	2165	0,08	2,20	3583	1780
5	0,11	2,75	3503	2381	0,10	2,75	3057	1899
6	0,13	3,30	3450	2814	0,12	3,30	2760	2057
8	0,18	4,40	2588	2814	0,16	4,40	2309	2295
10	0,22	5,50	2389	3247	0,21	5,50	1911	2374
12	0,26	6,60	1990	3247	0,25	6,60	1592	2374



Rivenditore autorizzato

tte srl Via Trebbia, 41/A - 23868 Valmadrera (Lecco) - Tel. +39 0341 207108 - Fax. +39 0341 202940

E-mail: info@ttetec.it - www.ttetec.eu